

Publications

- 1) Rawlings D E, **Sewcharan (Ramesar) R** and Woods D R (1985). Characterisation of a broad-host-range mobilizable *Thiobacillus ferrooxidans* plasmid and the construction of *Thiobacillus* cloning vectors. In **Fundamental and Applied Biohydrometallurgy**. Elsevier Press. Amsterdam. Eds. RW Lawrence, RMR Branion and HG Ebnes. p419-427
- 2) **Sewcharan (Ramesar) R**, Brown L D, and Wallis F M (1985). Bacterial succession in natural mine drainage and mine drainage inoculated-TFE medium: An electron microscope study. In **Electron Microscopy Society of Southern Africa** - Proceedings - Volume 15: 111-112.
- 3) Woods D R, Rawlings D E, Barros M E, Pretorius I M and **Ramesar R S**. (1986). Molecular genetic studies in *Thiobacillus ferrooxidans*: The development of genetic systems and the expression of cloned genes. **Review: Biotechnology and Applied Biochemistry** 8: 231-241.
- 4) **Ramesar R S**, Woods D R and Rawlings D E (1988). Cloning and characterization of the *recA* gene from *Thiobacillus ferrooxidans*. **Journal of General Microbiology**. 134: 1141-1146.
- 5) **Ramesar R S**, Abratt V, Woods D R, and Rawlings D E (1989). Nucleotide sequence and expression of a cloned *Thiobacillus ferrooxidans recA* gene in *Escherichia coli*. **Gene** 78: 1-8.
- 6) Anderson I J, Tsipouras P, Sher C, **Ramesar R S**, Martell R W and Beighton P (1990). Spondyloepiphyseal dysplasia, mild autosomal dominant type is not due to primary defects of type II collagen. **American Journal of Medical Genetics** 37: 272-276.
- 7) Sher C, **Ramesar R S**, Learmonth I D and Beighton P (1990). Mild spondyloepiphyseal dysplasia (Namaqualand Type): Genetic Linkage to the Type II collagen gene (COL2A1). **American Journal of Human Genetics** 48: 518-524
- 8) Viljoen D, **Ramesar R** and Behari D. (1990). Beals Syndrome: Clinical and Molecular Investigations in a kindred of Indian descent. **Clinical Genetics** 39: 181-188
- 9) Winship I, Young K, Martell R, **Ramesar R**, Curtis D and Beighton P (1991). Piebaldism: an autonomous autosomal dominant entity? **Clinical Genetics** 39: 330-337
- 10) Madden MV and **Ramesar RS** (1991). How genes cause inherited large bowel cancer. **Editorial: South African Medical Journal** 80:69-70
- 11) Beighton P, **Ramesar R**, Winship I, Viljoen D, Greenberg J, Young K, Curtis D, Sellars S (1991). Hearing Impairment and Pigmentary Disturbance. In Ed: RJ Ruben, TR Van De Water, KP Steel, **Annals of the New York Academy of Sciences: Genetics of Hearing Impairment**: volume 630: 152-167
- 12) **Ramesar R** and Beighton P (1992). Spondyloepiphyseal Dysplasia in a Cape Town family: Linkage with the gene for type II collagen (COL2A1). **American Journal of Medical Genetics** 43:833-838.

- 13) Viljoen D and **Ramesar R** (1992). Evidence for paternal imprinting in familial Wiedemann-Beckwith Syndrome. *Journal of Medical Genetics* **29**: 221-225.
- 14) Greenberg J, Babaya M, Beighton P and **Ramesar R**. Retinitis Pigmentosa, AD Type I; Exclusion of linkage to D3S47 (C17) in a large South African family of British origin (1992). *Clinical Genetics* **41**:322-325.
- 15) Farrer LA, Grundfast KM, Amos J, Asher JH, Beighton P, Diehl SR, Fex J, Foy C, Friedman TB, Greenberg J, Hoth C, Milunsky A, Morell R, Nance W, Newton V, **Ramesar R**, Read AP, San Augustin TB, Shavers-Arnos K, Skare J, Stevens CA, Wagner Jr RG, Wilcox ER and Winship I (1992). Waardenburg Syndrome is caused by defects at multiple loci, one of which is between ALPP and FN1 on chromosome 2 - First report of the WS Consortium. *American Journal of Human Genetics* **50**:902-913.
- 16) Spritz RA, Holmes SA, **Ramesar R**, Greenberg J, Curtis D, Beighton P. (1992). Mutations of the kit (mast/stem cell growth factor receptor proto-oncogene account for a continuous range of phenotypes in human Piebaldism. *American Journal of Human Genetics* **51**:1058-1065
- 17) Beighton P, Viljoen D and **Ramesar R** (1992). **Feature Article:** Heritable disorders of Connective Tissue. *Dysmorphology and Clinical Genetics* **6**: 88-92
- 18) **Ramesar RS**, Babaya M and Viljoen D (1993). Molecular Investigation of Beckwith-Wiedemann Syndrome: A Model for Paternal Imprinting. *European Journal of Human Genetics* **1**:109-113.
- 19) Viljoen D, Fredlund V, **Ramesar R** and Beighton P (1993). The brachydactylous dwarfs of Mseleni. *American Journal of Medical Genetics* **46**:636-640
- 20) Greenberg J, Bartmann L, **Ramesar R** and Beighton P (1993) Retinitis Pigmentosa in Southern Africa. *Clinical Genetics* **41**:322-325
- 21) Greenberg J, **Ramesar R** and Beighton P (1993). Genetic mapping of Retinitis Pigmentosa - The implications for South African patients. A Review. *South African Medical Journal* **84**: 410-412
- 22) Winship I, Babaya M and **Ramesar RS** (1993). The gene for X-linked ocular albinism with sensorineural deafness is located at Xq22.3. *Genomics* **18**: 444-445
- 23) Butt J, Greenberg J, Winship I, Sellars S, Beighton P and **Ramesar RS**. A splice junction mutation in the PAX3 gene causes Waardenburg Syndrome in a South African family. *Human Molecular Genetics* **3**: 195-196
- 24) Greenberg J, Goliath R, Beighton P, **Ramesar R**. A new locus for autosomal dominant retinitis pigmentosa on the short arm of chromosome 17. *Human Molecular Genetics* **3**:915-918
- 25) Ranum LPW, Chung M, Banfi S, Bryer A, Schut LJ, **Ramesar R**, Duvick LA, McCall A, Subramoney SH, Goldfarb L, Gomez C, Sandkuijl LA, Orr HT and Zoghbi HY. Molecular and clinical correlations in Spinocerebellar ataxia type 1: Evidence for familial effects on the age of onset. *American Journal of Human Genetics* **55**:244-252

- 27) Rubinsztein DC, Amos W, Leggo J, Goodburn S, **Ramesar RS**, Old J, Bontrop R, McMahon R, Barton DE, Ferguson-Smith MA (1994). Mutational bias provides a model for the evolution of Huntington's disease and predicts a general increase in disease prevalence. **Nature Genetics 7:525-530**
- 28) Farrer LA, Asher JH, Baldwin CT, Friedman TB, Greenberg J, Grundfast KM, Hoth C, Lalwani AK, Milunsky A, Morell R, Newton V, **Ramesar R**, Rao VS, San Augustin TB, Wilcox ER, Winship I, and Read AP. Locus heterogeneity for Waardenburg syndrome is predictive of clinical subtypes. **American Journal of Human Genetics 55: 728-737**
- 29) Beighton P, Cilliers HJ and **Ramesar R** (1995). Autosomal dominant (Beukes) premature degenerative osteoarthropathy of the hip joint not linked to COL2A1. **American Journal of Medical Genetics 53:348-351**
- 30) Beighton P, Viljoen D and **Ramesar R** (1995). **Feature article::** Heritable disorders of the skeleton. **Dysmorphology and Clinical Genetics 6:160-164**
- 31) Bardien S, Ebenezer N, Greenberg J, Inglehearn CF, Bartmann L, Goliath R, , Beighton P, **Ramesar RS**, Bhattacharaya S. (1995) An eighth locus for autosomal dominant retinitis pigmentosa is linked to chromosome 17q. **Human Molecular Genetics 8:1459-1462**
- 32) Speer MC, Gilchrist JM, Chutkow JG, McMichael R, Westbrook CA, Stajich JM, Jorgenson EM, Gaskell PC, Rosi BL, **Ramesar R**, Vance JM, Yamaoka LH, Pericak-Vance MA. (1995) Evidence for locus heterogeneity in autosomal dominant limb-girdle muscular dystrophy. **American Journal of Human Genetics 57: 1371-1376**
- 33) Goliath R, Shugart Y, Janssens P, Weissenbach J, Beighton P, **Ramesar R**, Greenberg J (1995). Fine localisation of the locus for autosomal dominant retinitis pigmentosa on chromosome 17p. **American Journal of Human Genetics 57:962-965**
- *34) **Ramesar R** (1996). Inherited cancers. **Continuing Medical Education Journal 14** (1): p22
- *35) **Ramesar R** (1996). Inherited eye diseases. **Continuing Medical Education Journal 14** (1): p50
- 36) Hayes VM, Kotze MJ, Grobbelaar JJ, Madden MV, **Ramesar R** and Oosthuizen CJJ (1996). Presymptomatic diagnosis of familial adenomatous polyposis using intragenic polymorphisms and CA repeats flanking the APC gene. **Genetic Counselling 7: 1-7**
- 37) Goliath R, Tombran-Tink J, Chader G, **Ramesar R**, Greenberg J. Genetic localisation of the gene for pigment epithelium derived factor (PEDF) on the short arm of chromosome 17 (17p13). **Molecular Vision: 2:96004**
(on-line: http://www.cc.emory.edu/Molecular_Vision/goliath_96004/goliath.html)
- 38) Gong Y, Vikkula M, Boon L, Liu J, Beighton P, **Ramesar R**, et al (1996). Osteoporosis-Pseudoglioma syndrome, a disorder affecting skeletal strength and vision, is assigned to chromosome region 11q12-q13. **American Journal of Human Genetics 59:146-151**
- 39) Ballo R, Viljoen D, Machado M, Keene D., Horton W, Fredlund V, Jacobs M, Martell R, Beighton P, **Ramesar R**. (1996). Mseleni Joint Disease: a molecular genetic approach to defining the aetiology. **South African Medical Journal 86:956-958**

- 40) **Ramesar RS**, Greenberg J, Martin R, Goliath R, Bardien S, Mundlos S, Beighton P (1996). The gene for cleidocranial dysplasia in the historical Cape Town kindred is on chromosome 6. *Journal of Medical Genetics* **33**: 511-514
- 41) Ballo R, Briggs MD, Cohn DH, Knowlton RG, Beighton PH, **Ramesar RS** (1997). Multiple epiphyseal dysplasia, Ribbing type: A novel point mutation in the comp gene in a South African family. *American Journal of Medical Genetics* **68**: 396-400
- 42) **Ramesar RS**, Bardien S, Beighton P, Bryer A (1997). Expanded CAG repeats in spinocerebellar ataxia (SCA1) segregate with distinct haplotypes in Southern African families. *Human Genetics* **100**:131-137
- 43) Bardien S, **Ramesar R**, Bhattacharaya S, Greenberg J. (1997). Retinitis pigmentosa locus on 17q(RP17): fine localisation to 17q22 and exclusion of the PDEF and TIMP2 genes. *Human Genetics* **101**:13-17
- 44) Goliath R, Bardien S, September A, Martin R, **Ramesar RS**, Greenberg J (1998). Rhodopsin mutation Gly109Arg in a family with autosomal dominant retinitis pigmentosa. *Human Mutation*: 1:S40-41
- 45) deStefano AL, Cupples AL, Arnos KS, Asher JH, Baldwin CT, Blanton S, Carey ML, daSilva EO, Friedman TB, Greenberg J, Lalwani AK, Milunsky A, Nance WE, Pandya A, **Ramesar RS**, Read AP, Tassabehji M, Wilcox ER, Farrer L. (1998). Correlation between Waardenburg Syndrome phenotype and genotype in a population of individuals with identified *PAX3* mutations. *Hum Genet.* **102**(5):499-506.
- 46) Ballo R, Beighton, PG, **Ramesar RS** (1998). Stickler type I syndrome due to a dominant negative mutation in the COL2A1 gene. Accepted for publication, *Am J Med Genet.* **80**:6-11.
- 47) Greenberg J, Goliath R, Tombran-Tink J, Chader G, **Ramesar RS**. Growth factors in the retina: pigment epithelium-derived factor (PEDF) now fine mapped to 17p13.3 and tightly linked to the RP13 locus. In: Degenerative Retinal Diseases ed: LaVail et al. Chapter 31: p291-294. Plenum Press, New York, 1997.
- 48) Horrigan SK, Bartoloni L, Speer M, Fulton N, Kravarusic J, **Ramesar R**, Vance J, Yamaoka LH, Westbrook C. (1999). A 6 Mb YAC, radiation hybrid breakpoint, and transcript map of the acute myeloid leukemia (AML) and limb-girdle muscular dystrophy 1A (LGMD1A) regions of human chromosome 5q31. A Radiation Hybrid Breakpoint Map of the Acute Myeloid Leukemia (AML) and Limb-Girdle Muscular Dystrophy 1A (LGMD1A) Regions of Chromosome 5q31 Localizing 122 Expressed Sequences. *Genomics.* **57**:24-35.
- 49) Roby P, Eyre S, Worthington J, **Ramesar R**, Cilliers H, Beighton P, Grant M, Wallis G. (1999). Autosomal dominant Beukes premature degenerative osteoarthropathy of the hip joint maps to an 11cM region on chromosome 4q35.: *Am J Hum Genet.* **64**:904-8
- (50) Bassi MT, **Ramesar RS**; Caciotti B, Winship IM; de Grandi I; Riboni M, Townes PL; Beighton P; Ballabio A and Borsani G (1999). X-linked late-onset sensorineural deafness (OASD) due to a deletion involving OA1 and a novel gene containing WD repeats. *American Journal of Human Genetics.* **64**: 1604-161
- (52) **Ramesar RS**: Guest Editor of a series of articles that appeared in >Specialist Medicine: title of editorial: Human Genetics, a universal speciality: Specialist Medicine: 21:96-97 (authors who were recruited to write series: Prof A Christianson: Medical Genetics

in primary health care B a south African perspective 21:98-100; Prof Trefor Jenkins: Human genetics in South Africa B past present and future: 21:102-107; Greenberg et al: Ophthalmic Genetics: a review of the molecular genetics of familial retinal dystrophies in Southern Africa. 21:108-113)*

(53) *Greenberg J, Rebello G, **Ramesar RS**: Ophthalmic Genetics: a review of the molecular genetics of familial retinal dystrophies in Southern Africa. ***Specialist Medicine*** 21:108-113*

(54) Goldberg PA, Madden MV, Harocopos C, Felix R, Westbrook C, **Ramesar RS**. (1998). In a resource-poor country, mutation identification has the potential to reduce the cost of family management for hereditary nonpolyposis colorectal cancer. ***Dis Colon Rectum*** 41:1250-3

(55) Bardien-Kruger S, Greenberg j, Tubb B, Bryan J, Queimado L, Lovett M, **Ramesar R**. (1999). Refinement of the RP17 locus for autosomal dominant retinitis pigmentosa, construction of a YAC contig and investigation of the candidate gene retinal facsin. ***European Journal of Human Genetics*** (1999) 7: 332-338.

(56) Greenberg J, Franz T, Goliath R, Ramesar R. (1999). A photoreceptor gene mutation in an indigenous black African family with retinitis pigmentosa identified using a rapid screening approach for common rhodopsin mutations. ***South African Medical Journal*** 89:877-878

(57) **Ramesar RS**, Madden MV, Felix R, Harocopos CJ, Westbrook CA, Jones G, Cruse JP, Goldberg PA. Molecular Genetics improves the management of Hereditary Nonpolyposis Colorectal Cancer. Accepted for publication Nov 1999 S Afr Med J.

(58) Goldberg PA, Grobellar JJ, Kotze MJ, Harocopos C, Marx MP, de Jong G, Madden MV, **Ramesar RS**. Guidelines for management of hereditary colorectal cancer. Accepted for publication, Nov 1999, to S Afr Med

(59) Cai L, Struk S, Adams MD, Ji W, Haaf T, Kang H-L, Dho S-H, Xuequn Xu, Ringpfeil F, Nancarrow J, Zach S, Schaen L, Stumm M, Niu T, Chung J, Lunze K, Verrecchia B, Goldsmith LA, Viljoen D, Figuera LE, Fuchs W, Lebwohl M, Uitto J, Richards R, Hohl D, **Ramesar R**, Callen DF, Kim U-J, Doggett NA, Neldner KH, Lindpaintner K. A 500 Kb Region on chromosome 16p13.1 Contains the Pseudoxanthoma Elasticum Locus: High Resolution Mapping and Genome Structure, Accepted for publication, Jan 2000, Journal of Mol. Med

(60) Weston MD, Eudy JD, Fujita S, Yao S-F, Usami S, Cremers C, Greenburg J, **Ramesar R**, Martini A, Moller C, Smith RJ, Sumegi J, Kimberling WJ. (2000). Genomic Structure and Identification of Novel Mutations in Usher1A, the Gene Responsible for Usher Syndrome Type IIA. American Journal of Human Genetics 66:1199

(61) Struk B, Cai L, Zach S, Ji W, Chung J, Lumsden A, Stumm M, Schaen L, Kim C-A, Goldsmith LA, Viljoen D, Figuera LE, Fuchs W, **Ramesar R**, Hohl D, Richards R, Neldner KH, and Lindpaintner K. Mutations of the Gene Encoding the Transmembrane Transporter Protein, ABC-C6, Cause Pseudoxanthoma Elasticum. Accepted for publication. **J Mol Med** May 2000